

COLONIAL INSTRUMENTS, MC. PROCESS INSTRUMENTATION SOLUTIONS ONE CHESTNUT STREET, NASHUA, NEW HAMPSHIRE 03060 P: (800) 442-8437 * F: (603) 882-7878 * WWW.COLONIALGAUGES.COM



WE GO THE EXTRA MILE, IT'S NEVER CROWDED!



COLONIAL INSTRUMENTS IS A STOCKING WHOLESALE DISTRIBUTOR OF PRESSURE AND TEMPERATURE INSTRUMENTS. WE REPRESENT MOST OF THE MAJOR MANUFACTURES IN THE INDUSTRY AND CAN MEET ALL OF YOUR NEEDS FOR ANY BRAND. WE PRIDE OURSELVES ON PROVIDING YOU WITH OUTSTANDING SERVICE AND STRUKE TO EVOLUTE EXPECTATIONS. HERE OUR MEET ALL OF YOUR NEEDS FOR ANY BRAND. WE FOR THE EXTENDED FOR DOWNER DURING YOU WITH OUTSTANDING SERVICE AND STRUKE TO EVOLUTE EXPECTATIONS. HERE OUR MEET ALL OF YOUR NEEDS FOR ANY BRAND. WE FOR THE EXTENDED FOR DOWNER DURING YOU WITH OUTSTANDING SERVICE AND STRUKE TO EVOLUTE EXPECTATIONS. HERE OUR MEET ALL OF YOUR NEEDS FOR ANY BRAND. WE FOR THE EXTENDED FOR DOWNER DURING YOU WITH OUTSTANDING YOU WITH OUTST






PRESSURE CALIBRATION

COLONIAL INSTRUMENTS OFFERS NIST OR SI UNIT TRACEABLE CALIBRATION OF PRESSURE INSTRU-MENTS FROM 5" WATER UP TO 15,000 PSIG. TYPICAL TURN AROUND TIMES RUN ABOUT 1 WEEK, HOWEVER WE CAN OFFER EXPEDITED SERVICE, IN SOME CASES, SAME DAY TURN AROUND. WE USE STATE OF THE ART TEST STANDARDS, WHICH ARE REGULARLY TESTED TO ENSURE ACCURACY.

WE UTILIZE A FLUKE PPC4 PRESSURE CONTROLLER/CALIBRATOR FOR A TOTAL ACCURACY OF ±0.01% OF SPAN ON PRESSURES FROM 5 PSIG UP TO 1,000 PSIG OR A HIGH ACCURACY FLUKE 6270A PRESSURE CALIBRATOR FOR RANGES UP TO 300PSI. HIGH ACCURACY LOW PRESSURE MANOMETERS FOR A TOTAL ACCURACY OF ±0.1% OF SPAN ON PRESSURES FROM 5" WATER UP TO 250" WATER. HIGH ACCURACY FLUKE/MARTEL BETA GAUGE PI REFERENCE CLASS DIGITAL GAUGES FOR A TOTAL ACCURACY OF 0.05% OF SPAN ON PRESSURE FROM 1,000 PSIG UP TO 15,000 PSIG.







WIKAI TI.52

WIKAI TI.52

WIKAI TI.52 A THE OWNER

WIKAI TI.52

WIKAI TI.52

FRANK

WIKA TI.52

WIKA TI.52

WIKAI TI.52

WIKAI TI.52

WIKAI TI.52

Auto

WIKA 11.52

WIKA 11.52

WIKA 11.52

WIKAI 1.5

1000


WIKA IS

TEMPERATURE CALIBRATION

	_				sture (alibrat	ion Rep	oort				
	Cer	tifica	te of 1	empere	Derature Calibration Report							
Customer: Peerless Supply					Certification Date: 10720-07 Certification Number: 10720-07 Purchase Order Number: 155576							
					billionnin							
ty, State,	Zip: B	uffalo, NY				the day Tap						
				Instrume	ument / Device Under Test Instrument Tag Number: Instrument Serial Number: BF6DDA							
testure: Pyromation, Inc.					Instrument Serial Number July 22, 2016							
				m Resistance 7M-08 Grade	Sensor	n*C	00000					
Se	nsor T	Type R1U I nce: ASTN	E1137/E113	im Resistance 7M-08 Grade	B, ±0.10% @							
SOLFALLY -						Tost As LE	eft Data <<<			-	Total	
			>>> Ins	trument / D	evice Und	Allowed	Lower	Upper Limit	Status Pass / Fa		certainty	
RTD Sensor dentification	-		Actual Reference	Instrument Reading	Instrument Deviation	Tolerance	Limit		Pas	- T	0.110 °F	
	83	rth Target				0.53 *F	49.49 °F	50.55 °F 120.82 °F	Pas	~	0.110 °F	
sentifican		50.00 °F	50.02 °F	49.68 °F	-0.34 °F -0.31 °F	0.82 °F	119.18 *F	120.82 F	Pa	88	0.110 'F	
Red, Red. White	H	120.00 °F	120.00 *F	119.89 *F 189.91 *F	-0.29 °F	1.11 °F	189.09 °F	50.55 °F	T Fe	201	0.110 °F	
	H	190.00 °F	190.20 °F		1 -0.60 °F	0.53 °F	49.49 *F 119.18 *F	120.82 °F		185	0.110 'F 0.110 *F	
	=	50.00 °F	50.02 *F	49.42 *F 119.72 *F	-0.28 °F	0.82 °F		191.31 °F	Pa	155	0.110 1	
Black, Blas	x F	120.00 °F	120.00 °F 190.20 °F		-0.42 %				_			
Green		190.00 °F	180.24					idance with	ali app	licable	stated 10	
-	_			must the abo	ve instrume	nt has been t	ested in acco	than 4:1, u	nless of	hermse	Stateo, to	
Coloni	al Inst	ruments,	Inc. certifies	comparision	with a Tes	Uncertainty	ested in acco Ratio greater d Technology	(NIST).				
specifi	cation	is and wa	s certified by									
Colonial Instruments, Inc. certifies that the specifications and was certified by compar- laboratory standards traceable to the National S					aboratory Calibration Test Sta			Instrumen	n Call	bistion	Calibration Due Date	
				Laboratory come			Temperature Pange	Accurac		Date	Dec-16	
50	w.	Instrumen	YL .	lectrometal	Description		-58°F to 320	°F ±0.090		Dec-14 N/A	N/A	
Nut		Model	I THE REAL PROPERTY IN			mometer	-4°E to 302	*F ±0.009		Dec-14	Dec-16	
29610	08	1551A	Floke ris	Fluke High Predision Digital Test Thermometer Fluke Compact Temperature Calibration Bath Fluke Compact Temperature Calibration Bath			-112°F to 572	*F ±0.090		N/A	NIA	
A86461		7320 1552A	Elike H	Flicke High Processor Dryna a Charlon Bath			95°F to 57		F	Jun-15	Jun-17	
2918		1552A	Fluke C	Pike High Precision Digital Team Pike Compact Temperature Calibration Bath 967-10.972 "F 30.011 "F Jun-15 Jun- Pike Super-DAQ Precision Temperature Scenner - 3286"F to 2192 "F 30.011 "F Jun-15 Jun-								
B4C8		1586A	Fluke S	sper-DAQ Prec	BKH TEMPER							
3161	0023	100011										
				monts InC.	Calibr	ation Lab Te	Ke	n Brasley				
	Certifi	ied By: Co	lonial Instru	netto, inc.								
								a transielle	42.	3 %Rł	4	
		Lab Condi	tions		Deecel	re: 29.400 in	ъHg	Humai	iy. 46.			
			73.7 °F									

MG.

COLONIAL INSTRUMENTS TEMPERATURE METROLOGY LAB UTILIZES FLUKE PRIMARY REFER-ENCE STANDARDS HAVING ACCURACIES OF 0.05°C (0.09°F) ACROSS A TEMPERATURE RANGE OF -20°C TO 300°C (-4°F TO 572°F). WE IMPLEMENTED STATE OF THE ART FLUKE MODEL 6330 AND MODEL 7320 COMPACT TEMPERATURE CALIBRATION BATHS WITH STABILITY AND UNIFORMITY EACH BETTER THAN ± 0.008 °C. OUR FLUKE 1586A SUPER-DAQ PRECISION TEMPERATURE SCANNER GIVES US BEST-IN-CLASS TEMPERATURE MEASUREMENT ACCURACY. IT ALSO ALLOWS FOR SIMULTANEOUS TESTING OF UP TO 40 ISOLATED INPUT CHANNELS FOR MEASURING RTDS. THERMOCOUPLES, THERMISTORS, DC VOLTAGE, DC CURRENT, AND RESISTANCE. REMEMBER TO KEEP US IN MIND FOR ALL OF YOUR TEMPERATURE AND PRESSURE CALIBRATION NEEDS.





COLONIAL INSTRUMENTS CAN PROVIDE STAINLESS STEEL AND ACRYLIC LASER ETCHED TAGS. OUR STANDARD STAINLESS STEEL AND ACRYLIC TAGS ARE 1"X 3" WITH A SINGLE HOLE, AND AN OPTION FOR SINGLE OR MULTI LINE TEXT. WE CAN ALSO CREATE CUSTOM SIZE TAGS AND ETCH DIRECTLY ON TO STAINLESS STEEL AND BRASS GAUGES AND THERMOWELLS.







DIAPHRAGM SEAL SERVICES

COLONIAL INSTRUMENTS OFFERS FULL SERVICE DIAPHRAGM SEAL FILLING AND REPAIR SERVICES. WE USE A CUSTOM DESIGNED VACUUM CHAMBER WHICH ALLOWS FOR A SUPERIOR FILLING PROCESS. WE PULL A VACUUM TO 200 MILITORR WHILE SIMULTAEOUSLY HEATING AND STIRRING FILL FLIUDS TO ENSURE PROPER DE-GASSING, THUS ALLOWING FOR BETTER ACCURACY OF THE INSTRUMENTS. WE STOCK A VARIETY OF COMPONENT PARTS FOR FASTER DELIVERY.













CUSTOM PRODUCT ASSEMBLIES


IN ADDITION TO SIMPLE DIAPHRAGM SEAL ASSEMBLIES, **COLONIAL INSTRUMENTS** OFFERS VALUE ADDED SERVICES LIKE CUSTOMIZED PRODUCT ASSEMBLIES. SUCH AS, PIPING ASSEMBLIES, MOUNTING PLATES, CAPILLARY ASSEMBLIES, VALVE MANIFOLDS, MULTI-INSTRUMENT ASSEMBLIES, AND MORE.







COLONIAL INSTRUMENTS HAS FULL SERVICE CUSTOM DIAL AND DESIGN CAPABILITIES. WE CAN MAKE A WIDE VARIETY OF CUSTOM DIAL FACES, INCLUDING METRIC UNITS, TONS ON RAM, SPECIALIZED UNITS OF MEASURE, AND CUSTOM LOGOS.







COLONIAL INSTRUMENTS IS THE NORTHEAST'S LARGEST STOCKING DISTRIBUTOR OF PRESSURE AND TEMPERATURE INSTRUMENTS. WE INVENTORY A LARGE VARIETY OF PRESSURE GAUGES, THERMOMETERS, DIAPHRAGM SEALS, COIL SYPHONS, THERMOWELLS, NEEDLE VALVES, PETE'S PLUGS AND MORE. WE'RE OPEN DAILY FROM 8AM TO 5PM EASTERN STANDARD TIME AND SHIP SAME DAY ON STOCK ITEMS. NO MINIMUM ORDER REQUIREMENTS.









BRIAN CARMONA PRESIDENT Brian@colonialgauges.com



NATHAN KOVACS INSIDE SALES NATHAN@COLONIALGAUGES.COM



JARROD WILLIAMS SALES AND MARKETING JARROD@COLONIALGAUGES.COM



BRITTANY CORBIN OFFICE AND SHIPPING MANAGER BRITTANY@COLONIALGAUGES.COM



ANTHONY CUDDEMI INSIDE SALES MANAGER ANTHONY@COLONIALGAUGES.COM



KEN BRASLEY CALIBRATION SHOP TECHNICIAN KEN@COLONIALGAUGES.COM





LOCATION & GENERAL CONTACT INFO

COLONIAL INSTRUMENTS IS LOCATED IN THE HISTORIC NASHUA, NH MILLYARD DISTRICT AT THE ONE CHESTNUT STREET BUSINESS CENTER. CONVENIENTLY LOCATED OFF THE BROAD STREET PARKWAY.





MAILING & SHIPPING ADDRESS **Colonial Instruments, Inc.** One Chestnut Street, Suite 4H NASHUA, NEW HAMPSHIRE 03060

COMPANY EMAILS

GENERAL: SALES@COLONIALGAUGES.COM A/P & A/R: Accounting@colonialgauges.com Repairs and Calibration: Calibration@colonialgauges.com

PHONE: 603-881-4040 **FAX:** 603-882-7878 **WEBSITE:** WWW.COLONIALGAUGES.COM

WE GO THE EXTRA MILE, IT'S NEVER CROWDED!